Journal Pre-proof

COVID-19: should we continue to cryopreserve sperm during the pandemic?

Michael Bright Yakass, Bryan Woodward

 PII:
 S1472-6483(20)30183-8

 DOI:
 https://doi.org/10.1016/j.rbmo.2020.04.004

 Reference:
 RBMO 2400

To appear in: Reproductive BioMedicine Online

Received date:1 April 2020Revised date:2 April 2020Accepted date:6 April 2020

Please cite this article as: Michael Bright Yakass, Bryan Woodward, COVID-19: should we continue to cryopreserve sperm during the pandemic?, *Reproductive BioMedicine Online* (2020), doi: https://doi.org/10.1016/j.rbmo.2020.04.004

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo editing, typesetting, and review of the resulting proof before it is published in its final form. Please note that during this process changes will be made and errors may be discovered which could affect the content. Correspondence or other submissions concerning this article should await its publication online as a corrected proof or following inclusion in an issue of the journal.

© 2020 Reproductive Healthcare Ltd. Published by Elsevier Ltd. All rights reserved.



COVID-19: should we continue to cryopreserve sperm during the pandemic?

Viremic patients can shed viruses into semen, with 27 viruses detected to date (Salam et al., 2017). This includes the Zika virus, which remains in the semen of symptom-free men for up to 1 year post-recovery (Kurscheidt et al., 2019). Virus shedding into semen is affected by the reproductive tract immune response, blood-testis inflammatory mediators altering the barrier, systemic immunosuppression and the virus structural stability (Salam et al., 2017). For COVID-19-positive men, we consider the risk of significant virus shedding into semen is low, given that only very low titres of SARS-CoV-2 have been detected in non-respiratory sites, e.g. stool specimens (Holshue et al., 2020). However, is 'low' an acceptable risk if we are to cryopreserve semen samples during the pandemic?

Most viruses remain viable at ultra-low temperatures if stored dried, in appropriate protein concentrations (Gould, 1999). For example, the influenza virus can remain infectious even after 40 years in cryopreservation (Merrill et al., 2018). Both the influenza virus and SARS-CoV-2 are enveloped RNA viruses, so SARS-CoV-2 could also remain viable if cryopreserved and then warmed.

On a positive note, to date, there has never been a recorded case of viral crosscontamination between cryopreserved clinical semen samples, so the risk of SARS-CoV-2 cross-contamination between semen samples is negligible. However, we have to accept that SARS-CoV-2 could be present in semen samples and in liquid nitrogen in cryostores across the world. We therefore recommend that utmost precaution be exercised for sperm cryobanking at this time, with use of highly secure devices and segregated cryovessels. The risks associated with couriering cryopreserved samples between clinics, during and after this pandemic, should also be considered.

References

Salam AP, Horby PW. The Breadth of Viruses in Human Semen. *Emerging Infectious Diseases*. 2017;23(11):1922-1924. doi:10.3201/eid2311.171049.

Kurscheidt FA, Mesquita CSS, Damke GMZF, Damke E, Carvalho ARB d. A, Suehiro TT, et al. Persistence and clinical relevance of Zika virus in the male genital tract. *Nat RevUrol.* 2019;16(4):211-230. doi: 10.1038/s41585-019-0149-7.

Holshue ML, DeBolt C, Lindquist S, Lofy KH, Wiesman J, Bruce H, et al. First Case of 2019 Novel Coronavirus in the United States. N Engl J Med [Internet]. 2020 Mar 5 cited 2020 Mar 25];382(10):929–36. Available from: http://www.nejm.org/doi/10.1056/NEJMoa2001191

Gould EA. Methods for long-term virus preservation Applied Biochemistry and Biotechnology - Part B Molecular Biotechnology. Humana Press. 1999; 13:57-66.

Merrill DR, Wade CD, Fahnestock P, Baker RO. Long-term and short-term stability of viruses depend on storage temperature and preservation method. Beiresources poster 2018 [Internet] [cited 2020 Mar 25]. Available from:

https://www.beiresources.org/Portals/2/PDFS/Long-Term%20and%20Short-Term%20Stability%20of%20Viruses.pdf

Michael Bright Yakass

West African Centre for Cell Biology of Infectious Pathogens, University of Ghana and Assisted Conception Unit, Lister Hospital and Fertility Centre, Accra, Ghana E-mail address: michaelyakass@gmail.com

Bryan Woodward* X&Y Fertility, Leicester, UK. E-mail address: <u>theeggman68@gmail.com</u>

*Corresponding author

Journal Pression